MECLIZINE HCL 12.5 MG- meclizine hcl 12.5 mg tablet Reliable 1 Laboratories LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Meclizine HCL 12.5

Drug Facts

Active indredient (in each caplet)

Meclizine HCL 12.5 mg

Purpose

Antiemetic

Uses

- prevents and treats nausea, vomiting, or dizziness due to motion sickness
- for other uses, consult your doctor

Warnings

Ask a docotor before use if you have

- glaucoma
- a breathing problem such as emphysema or chronic bronchitis
- trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers

When using this product

- you may get drowsy
- avoid alcoholic drinks
- alcohol, sedatives and tranquillizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Ask a doctor before use if you have

- glaucoma
- a breathing problem such as emphysema or chronic bronchitis
- trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers

When using this prodcut

- you may get drowsy
- avoid alcoholic drinks
- alcohol, sedatives and tranqulizers may increase drowsiness

• be careful when driving a motor vehicle or operating machinery

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- adults & children 12 years and over: 2-4 caplets once daily
- children under 12 years: ask a doctor

Other information

- each caplet contains: calcium 51 mg
- store at room temperature 15°-30°C (59°-86°F)
- This is a bulk package. Dispense contents with a child-resistant closure in a tight, light-resistant container as defined in the USP.

Inactive ingredients

croscarmellose sodium, dicalcium phosphate, magnesium stearate, microcrystalline cellulose, silicon dioxide, stearic acid

Questions or comments?

call **516-341-0666**, 8:30 am - 4:30 pm ET, Monday - Friday

TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

Distributed by: Reliable 1 Laboratoires LLC, Valley Stream, NY 11580

www.reliable1labs.com


NDC 69618-027-10

Meclizine HCL 12.5 mg

ANTIEMETIC

1000 CAPLETS

THIS PACKAGE FOR HOUSEHOLDS WITHOUT YOUNG CHILDREN



MECLIZINE HCL 12.5 MG

meclizine hcl 12.5 mg tablet

Product Information					
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69618-027		
Route of Administration	ORAL				

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength

MECLIZINE HYDRO CHLO RIDE (UNII: HDP7W44CIO) (MECLIZINE - UNII:3L5TQ84570) MECLIZINE HYDRO CHLO RIDE | 12.5 mg

Inactive Ingredients			
Ingredient Name	Strength		
SILICON DIO XIDE (UNII: ETJ7Z6 XBU4)			
CROSCARMELLOSE SODIUM (UNII: M28 OL1HH48)			
MAGNESIUM STEARATE (UNII: 70097M6I30)			
STEARIC ACID (UNII: 4ELV7Z65AP)			
CELLULO SE, MICRO CRYSTALLINE (UNII: OP1R32D61U)			
CALCIUM PHO SPHATE, DIBASIC, ANHYDRO US (UNII: L11K75P92J)			

Product Characteristics					
Color	white	Score	2 pieces		
Shape	OVAL	Size	13mm		
Flavor		Imprint Code	AP;117		
Contains					

Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:69618-027- 01	100 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	11/0 1/20 15		
2	NDC:69618-027- 10	1000 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	11/0 1/20 15		
	10	170 date			



Labeler - Reliable 1 Laboratories LLC (079718111)

Revised: 12/2019 Reliable 1 Laboratories LLC